

RZR Turbo R 4 Premium Velocity Blue



Key Specifications

181
HP

74"
WIDTH

16"
CLEARANCE

ENGINE & DRIVETRAIN

Cooling	Liquid
Cylinders Displacement	925cc
Drive System Type	Isolated Xtreme Performance True On-Demand AWD/2WD
Engine Braking System (EBS)	Not Equipped
Engine Type	4-Stroke DOHC Twin Cylinder Turbocharged
Fuel System/Battery	Electronic Fuel Injection
Horsepower	181 HP
Transmission/Final Drive	Automatic PVT P/R/N/L/H

DIMENSIONS

Bed Box Dimensions (L x W x H)	26 x 17.7 x 11.5 in (66 x 45 x 29.2 cm)
Box Capacity	300 lb (136 kg)
Estimated Dry Weight	2263 lb (1026 kg)
Fuel Capacity	13 gal (49.2 L)
Ground Clearance	16 in (40.6 cm)
Hitch Towing Rating	N/A
Overall Vehicle Size (L x W x H)	157 x 74 x 77 in (398.7 x 188 x 196 cm)
Payload Capacity	1160 lb (526 kg)
Person Capacity	4
Wheelbase	125 in (317.5 cm)

BRAKES

Front/Rear Brakes	4-Wheel Hydraulic Disc with Triple-Bore Front and Dual-Bore Rear Calipers; Aluminum Top Hat Rotor
Parking Brake	Park In-Transmission

ADDITIONAL SPECIFICATIONS

Cargo System	Lock & Ride® Fold Flat Rear Storage, convertible rear seat storage with integrated tie down points, 27.7 x 52.8 x 19.5 in (70.4 x 134.1 x 49.53 cm)
Doors	Front & Rear Full Doors
Electronic Power Steering	Rack Mounted High Assist Electronic Power Steering with Quick Turn Rack; Race Inspired Steering Wheel with Tilt and Telescoping Adjustment; RIDE COMMAND Push Button Controls
Hitch Type	Not Equipped
Instrumentation	7" Glove-Touch Display: Built-In GPS, Mapping, Vehicle-to-Vehicle with *Group Ride, Follow the Leader, & Messaging. Bluetooth & USB Smartphone Connectivity, AM/FM & Weather Radio, Rockford Fosgate® Premium Audio (Including 2 Tweeters, 2 Front Speakers, 2 Rear Speakers, and External 400W Amp) Dual-Sweep Analog Dials with 4 in LCD Rider Information Center: User Selectable Blue/Red Backlighting & Brightness, Programmable Service Intervals. Digital Instrumentation: Speedometer, Tachometer, Odometer, Tripmeter, Clock, Hour Meter, Gear Indicator, Fuel Gauge, Coolant Temperature, Voltmeter, Service Indicator and Codes, Seat Belt Reminder Light, Gear Indicator
Lighting	Signature White LED, Low/High & Red LED Tail/Brake Lights; Front, Rear, and Interior Accent Lighting
Other Standard Features	RIDE COMMAND, High Output 900W Charging System, Polaris Pulse System, In-Dash Charge Port, 2 Front DC Accy Ports, Polaris P.A.S.S., Painted Aluminum Roof, Colored Toe Link, Mud and Rock Guards, Color Matched Seats, Front Bumper
RIDE COMMAND+	Available
Seat Type	Front Bolstered Bucket Seats with 4-Way Adjustability (Including 6 in Front to Back Toolless Seat Slider with Tilt Adjustability) and Sub-Zero 4-Point Harnesses, Rear Stadium Style Seating with Sub-Zero 4-Point Harnesses

TIRES / WHEELS

Front Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Rear Tires	32 x 10-15 Maxxis Rampage Fury; 8-Ply Rated; Wheel Size 15x7
Wheels	Painted Cast Aluminum Rim with 5-Lug Pattern

SUSPENSION

Electronic Suspension Control System	Not Equipped
Front Shocks	2.5 in Walker Evans Velocity Needle Shock with 16-Position Adjustable Clickers
Front Suspension	

	Light Weight Boxed Dual A-Arm with 3 Piece Stabilizer Bar and 27 in (68.6 cm)*Usable Travel, 22.25 in (56.5 cm) Wheel Travel, Unitized Hubs
Rear Shocks	3.0 in Walker Evans Velocity Needle Shock with 16-Position Adjustable Clickers
Rear Suspension	Tubular Trailing Arm with Boxed Gusseting and Toe Link, High Clearance Radius Rods, and Stabilizer Bar and 28.3 in (71.9 cm)*Usable Travel, 22.4 in (56.9 cm) Wheel Travel, Unitized Hubs